


How to Configure Threema Work Using Ivanti Neurons



Create the MDM Licenses in Threema Work's Management Cockpit

1

Go to <https://work.threema.ch/login> and log in to the management cockpit.




Once logged in, select your subscription and go to "User Management."

2

Click "Add" to start adding MDM licenses to your subscription.


3

Select "License for MDM system" and enter a username and password. The credentials will be used to transfer these licenses to Ivanti Neurons.




You can save the password in plain text or as a hash. If you choose to save it as a hash, you will need to save the link that appears once you click "Save" as hashed passwords cannot be viewed anymore. If you save the password in plain text, the username and password can be viewed and copied after saving by clicking the three dots at the end of the line of a license.

- Finally, select the number of licenses you would like to use to set up managed devices in Ivanti Neurons, and click “Save.”




Create an App Configuration Policy for Threema Work in Ivanti Neurons


- Log in to Ivanti Neurons and proceed to “Apps > App Catalog.”




- 2 In the App Catalog, click “Add” in the top right corner.




- 3 Select the app store for your devices' OS and search for the Threema Work app. Select it and continue by clicking “Next” in the lower right corner.




- 4 Click “Next” again to move to the distribution configuration.



- 5 Select the desired distribution options, and click “Next” to continue with the app configuration.



- 6 Scroll down to “Apple Managed App Configuration” (if you selected the App Store for iOS) or “Managed Configurations for Android” (if you selected the Play Store for Android)



- 7 Give your app configuration policy a name and add the configuration keys with their respective values. As an example, the configuration settings could look like this:

Configuration keys	Value type	Configuration value
th_license_username	String	MDMLicenseCompany
th_license_password	String	Password123!
th_firstname	String	\${userFirstName}
th_lastname	String	\${userLastName}
th_csi	String	\${userEmailAddress}
th_safe_enable	Boolean	True

For iOS:

Threema Work. For Companies
Threema GmbH

Threema Work App Configuration Policy

+ Add Description

Configuration Source
Source Type: None

Apple Managed App Settings

Key	Value	Type
th_license_username	MDMLicenseCompany	STRING
th_license_password	Password123!	STRING
th_firstname	\${userFirstName}	STRING
th_lastname	\${userLastName}	STRING
th_csi	\${userEmailAddress}	STRING
th_safe_enable	true	BOOLEAN

+ Add | Use plist

Array type values should be separated by comma (example: 2,33,44) and date value should be in milliseconds (example: 1437496170000).

« Back Next »

For Android:

Threema Work. For Companies
For Android enterprise (Android for Work)

Expand all | Collapse all

Configuration Name	Value	Push to Device
Corporate License Username Set the license username for this device	MDMLicenseCompany	ON
Corporate License Password Set the license password for this device	Password123!	ON
Nickname Display name		OFF
First name First name of the user (visible in Work cockpit and API)	\${userFirstName}	ON
Last name Last name of the user (visible in Work cockpit and API)	\${userLastName}	ON
Custom Specific Identifier Any value (e.g. internal username) name (visible in Work cockpit and API)	\${userEmailAddress}	ON
Category User category (e.g. group, department) (visible in Work cockpit and API)		OFF

« Back Next »

- 8 Once you have defined the settings, click "Next" and "Done" to save the policy.
- 9 As soon as you apply the policy to your devices, the configuration will be completed.