

# How to Configure Threema Work Using Ivanti Neurons


---

VERSION: 01/2025




# Create the MDM Licenses in Threema Work's Management Cockpit

- 1 Go to <https://work.threema.ch/login> and log in to the management cockpit. Once logged in, select your subscription and go to "User Management."




- 2 Click "Add" to start adding MDM licenses to your subscription.
- 3 Select "License for MDM system" and enter a username and password. The credentials will be used to transfer these licenses to Ivanti Neurons.




You can save the password in plain text or as a hash. If you choose to save it as a hash, you will need to save the link that appears once you click "Save" as hashed passwords cannot be viewed anymore. If you save the password in plain text, the username and password can be viewed and copied after saving by clicking the three dots at the end of the line of a license.

- Finally, select the number of licenses you would like to use to set up managed devices in Ivanti Neurons, and click “Save.”




## Create an App Configuration Policy for Threema Work in Ivanti Neurons


- Log in to Ivanti Neurons and proceed to “Apps > App Catalog.”




2 In the App Catalog, click “Add” in the top right corner.




3 Select the app store for your devices' OS and search for the Threema Work app. Select it and continue by clicking “Next” in the lower right corner.




4 Click “Next” again to move to the distribution configuration.



- Select the desired distribution options, and click “Next” to continue with the app configuration.




- Scroll down to “Apple Managed App Configuration” (if you selected the App Store for iOS) or “Managed Configurations for Android” (if you selected the Play Store for Android)




- Give your app configuration policy a name and add the configuration keys with their respective values. As an example, the configuration settings could look like this:

Configuration keys	Value type	Configuration value
th_license_username	String	MDMLicenseCompany
th_license_password	String	Password123!
th_firstname	String	\${userFirstName}
th_lastname	String	\${userLastName}
th_csi	String	\${userEmailAddress}
th_safe_enable	Boolean	True

For iOS:



For Android:



8 Once you have defined the settings, click “Next” and “Done” to save the policy.

9 As soon as you apply the policy to your devices, the configuration will be completed.